Contents

Number 1 July 1997

1 MINI-REVIEW
Recognition of bacterial avirulence proteins occurs inside the plant cell: a general phenomenon in resistance to bacterial diseases? *U. Bonas and G. Van den Ackerveken*

9 **Developmental regulation of the gibberellin biosynthetic gene *GA1* in *Arabidopsis thaliana*.** *A.L. Silverstone, C.-w. Chang, E. Krol and T.-p. Sun*

21 **Use of *Arabidopsis* recombinant inbred lines reveals a monogenic and a novel digenic resistance mechanism to *Xanthomonas campestris* pv *campestris*.** *C.R. Buell and S.C. Somerville*

31 **Physical mapping of the 5S ribosomal RNA genes in *Arabidopsis thaliana* by multi-color fluorescence *in situ* hybridization with cosmid clones.** *M. Murata, J.S. Heslop-Harrison and F. Motoyoshi*

39 **Possible involvement of differential splicing in regulation of the activity of *Arabidopsis* ANP1 that is related to mitogen-activated protein kinase kinase kinases (MAPKKKs).** *R. Nishihama, H. Banno, E. Kawahara, K. Irie and Y. Machida*

49 **Molecular characterization of a phloem-specific gene encoding the filament protein, Phloem Protein 1 (PP1), from *Cucurbita maxima*.** *A.M. Clark, K.R. Jacobsen, D.E. Bostwick, J.M. Dannenhoffer, M.I. Skaggs and G.A. Thompson*

63 **Post-transcriptional silencing of chalcone synthase in *Petunia* by inverted transgene repeats.** *M. Stam, R. de Bruin, S. Kenter, R.A.L. van der Hoorn, R. van Blokland, J.N.M. Mol and J.M. Kooter*

83 **Interaction of the maize and *Arabidopsis* kinase interaction domains with a subset of receptor-like protein kinases: implications for transmembrane signaling in plants.** *D.M. Braun, J.M. Stone and J.C. Walker*

97 **Structural cell-wall proteins in protoxylem development: evidence for a repair process mediated by a glycine-rich protein.** *U. Ryser, M. Schorderet, G.-F. Zhao, D. Studer, K. Ruel, G. Hauf and B. Keller*

113 **High-affinity binding site for ethylene-inducing xylanase elicitor on *Nicotiana tabacum* membranes.** *U. Hanania and A. Avni*

121 **Very-long-chain fatty acid biosynthesisis is controlled through the expression and specificity of the condensing enzyme.** *A.A. Millar and L. Kunst*

133 **Transformation of *Arabidopsis thaliana* with the *codA* gene for choline oxidase; accumulation of glycinebetaine and enhanced tolerance to salt and cold stress.** *H. Hayashi, Alia, L. Mustardy, P. Deshnium, M. Ida and N. Murata*

143 **Correlation between activities of starch debranching enzyme and α-polyglucan structure in endosperms of *sugary-1* mutants of rice.** *Y. Nakamura, A. Kubo, T. Shimamune, T. Matsuda, K. Harada and H. Satoh*

155 **Spatial expression dynamics of *Men-9* delineate the third floral whorl in male and female flowers of dioecious *Silene latifolia*.** *S.E. Robertson, Y. Li, C.P. Scutt, M.E. Willis and P.M. Gilmartin*

169 **Yeast 5-aminolevulinate synthase provides additional chlorophyll precursor in transgenic tobacco.** *A. Zavgorodnyaya, J. Papenbrock and B. Grimm*

179 **The plant 2-Cys peroxiredoxin BAS1 is a nuclear-encoded chloroplast protein: its expressional regulation, phylogenetic origin, and implications for its specific physiological function in plants.** *M. Baier and K.-J. Dietz*

191 **Roscovitine, a novel cyclin-dependent kinase inhibitor, characterizes restriction point and G2/M transition in tobacco BY-2 cell suspension.** *S. Planchais, N. Glab, C. Tréhin, C. Perennes, J.-M. Bureau, L. Meijer and C. Bergounioux*

203 **Alteration of anion channel kinetics in wild-type and *abi1-1* transgenic *Nicotiana benthamiana* guard cells by abscisic acid.** *A. Grabov, J. Leung, J. Giraudat and M.R. Blatt*

215 SHORT COMMUNICATION
Structure and subcellular localization of a small RNA-binding protein from tobacco. *K. Moriguchi, M. Sugita and M. Sugiura*

223 SHORT COMMUNICATION
Style-specific self-compatible mutation caused by deletion of the S-RNase gene in Japanese pear (*Pyrus serotina*). *H. Sassa, H. Hirano, T. Nishio and T. Koba*

229 SHORT COMMUNICATION
Microinjection of fluorescent tubulin into plant cells provides a representative picture of the cortical microtubule array. *C.L. Wymer, P.J. Shaw, R.M. Warn and C.W. Lloyd*

235 SHORT COMMUNICATION
***ZmEsr*, a novel endosperm-specific gene expressed in a restricted region around the maize embryo.** *H.-G. Opsahl-Ferstad, E. Le Deunff, C. Dumas and P.M. Rogowsky*

Number 2 August 1997

247 COMMUNITY STANDARDS: A NEW SERIES OF GUIDELINES FOR PLANT SCIENCE
Community standards for *Arabidopsis* genetics. *D. Meinke and M. Kornneef*

255 **Light-responsive elements of the tobacco PSI-D gene are located both upstream and within the transcribed region.** *Y.Y. Yamamoto, Y. Kondo, A. Kato, H. Tsuji and J. Obokata*

267 **A programmed cell death pathway activated in carrot cells cultured at low cell density.** *P.F. McCabe, A. Levine, P.-J. Meijer, N.A. Tapon and R.I. Pennell*

281 **Nitrogen and hormonal responsiveness of the 22 kDa α-zein and b-32 genes in maize endosperm is displayed in the absence of the transcriptional regulator Opaque-2.** *M. Müller, G. Dues, C. Balconi, F. Salamini and R.D. Thompson*

293 **Analyses of phosphoenolpyruvate carboxylase gene structure and expression in alfalfa nodules.** *M. Sudam Pathirana, D.A. Samac, R. Roeven, H. Yoshioka, C.P. Vance and J.S. Gantt*

305 **Protein processing and auxin response in transgenic tobacco harboring a putative cDNA of zeatin O-xylosyltransferase from *Phaseolus vulgaris*.** *R.C. Martin, M.C. Mok and D.W.S. Mok*

313 **Identification of the peroxisomal targeting signal for cottonseed catalase.** *R.T. Mullen, M.S. Lee and R.N. Trelease*

323 **Antisense inhibition of cytosolic phosphorylase in potato plants (*Solanum tuberosum* L.) affects tuber sprouting and flower formation with only little impact on carbohydrate metabolism.** *E. Duwenig, M. Steup, L. Willmitzer and J. Kossmann*

335 **Mutants of *Arabidopsis thaliana* with altered cell wall polysaccharide composition.** *W.-D. Reiter. C. Chapple and C.R. Somerville*

347 **Identification of a high-affinity binding protein for *N*-acetylchitooligosaccharide elicitor in the plasma membrane of suspension-cultured rice cells by affinity labeling.** *Y. Ito, H. Kaku and N. Shibuya*

357 **Novel DNA-binding characteristics of a protein associated with DNA polymerase-α in pea.** *S.K. Burton, J. Van't Hof and J.A. Bryant*

367 **Functional analysis of the *Arabidopsis thaliana* SBP-box gene *SPL3*: a novel gene involved in the floral transition.** *G.H. Cardon, S. Höhmann, K. Nettesheim, H. Saedler and P. Huijser*

379 **Post-transcriptional silencing of a neomycin phosphotransferase II transgene correlates with the accumulation of unproductive RNAs and with increased cytosine methylation of 3′ flanking regions.** *H. Van Houdt, I. Ingelbrecht, M. Van Montagu and A. Depicker*

393 **Developmental regulation of a plant encoded inhibitor of eukaryotic initiation factor 2α phosphorylation.** *J.O. Langland, L. Langland, C. Zeman, D. Saha and D.A. Roth*

401 **Conditional transgenic expression of the *ipt* gene indicates a function for cytokinins in paracrine signaling in whole tobacco plants.** *M. Faiss, J. Zalubilova, M. Strnad and T. Schmülling*

417 **Auxin regulation and spatial localization of an endo-1,4-β-D-glucanase and a xyloglucan endotransglycosylase in expanding tomato hypocotyls.** *C. Catalá, J.K.C. Rose and A.B. Bennett*

427 **Cytoplasmic free calcium distributions during the development of root hairs of *Arabidopsis thaliana*.** *C.L. Wymer, T.N. Bibikova and S. Gilroy*

441 **Topology and target interaction of the fusicoccin-binding 14-3-3 homologs of *Commelina communis*.** *C. Oecking, M. Piotrowski, J. Hagemeier and K. Hagemann*

455 SHORT COMMUNICATION
Resistance to both cyst and root-knot nematodes conferred by transgenic *Arabidopsis* expressing a modified plant cystatin. *P.E. Urwin, C.J. Lilley, M.J. McPherson and H.J. Atkinson*

463 TECHNICAL ADVANCE
Improved ballistic transient transformation conditions for tomato fruit allow identification of organ-specific contributions of I-box and G-box to the *RBCS2* promotor activity. *K. Baum, B. Gröning and I. Meier*

471 TECHNICAL ADVANCE
Fine-scale molecular genetic (RFLP) and physical mapping of a 8.9 cM region on the top arm of *Arabidopsis* chromosome 5 encompassing the male sterility gene, *ms1*. *G.J. Thorlby, L. Shlumukov, I.Y. Vizir, C.-Y. Yang, B.J. Mulligan and Z.A. Wilson*

481 TECHNICAL ADVANCE
Rapid construction of a transcription map for a cosmid contig of *Arabidopsis thaliana* genome using a novel cDNA selection method. *M. Seki, N. Hayashida, N.Kato, M. Yohda and K. Shinozaki*

Number 3 September 1997

489 **T-DNA tagging reveals a novel cDNA triggering cytokinin- and auxin-independent protoplast division.** *E. Miklashevichs, I. Czaja, A. Cordeiro, E. Prinsen, J. Schell and R. Walden*

499 **Light-regulated expression of the pea plastocyanin gene is mediated by elements within the transcribed region of the gene.** *C.A. Helliwell, C.I. Webster and J.C. Gray*

507 **Ca^{2+}-independent phosphorylation of a 68 kDa pollen protein is stimulated by the self-incompatibility response in *Papaver rhoeas*.** *J.J. Rudd, F.C.H. Franklin and V.E. Franklin-Tong*

515 **Conserved expression of a *TASSELSEED2* homolog in the tapetum of the dioecious *Silene latifolia* and *Arabidopsis thaliana*.** *S. Lebel-Hardenack, D. Ye, H. Koutnikova, H. Saedler and S.R. Grant*

527 **Identification of three genetic loci controlling leaf senescence in *Arabidopsis thaliana*.** *S.A. Oh, J.-H. Park, G.I. Lee, K.H. Paek, S.K. Park and H.G. Nam*

537 **Movement and subcellular localization of a tobamovirus in *Arabidopsis*.** *R. Lartey, S. Ghoshroy, J. Hoe and V. Citovsky*

547 **Systemic elevation of phosphatidic acid and lysophospholipid levels in wounded plants.** *S. Lee, S. Suh, S. Kim, R.C. Crain, J.M. Kwak, H.-G. Nam and Y. Lee*

557 **Differential expression of two *P5CS* genes controlling proline accumulation during salt-stress requires ABA and is regulated by *ABA1*, *ABI1* and *AXR2* in *Arabidopsis*.** *N. Strizhov, E. Ábrahám, L. Ökrész, S. Blickling, A. Zilberstein, J. Schell, C. Koncz and L. Szabados*

571 **Sites of rDNA transcription are widely dispersed through the nucleolus in *Pisum sativum* and can comprise single genes.** *W.F. Thompson, A.F. Beven, B. Wells and P.J. Shaw*

583 **PIS1, a negative regulator of the action of auxin transport inhibitors in *Arabidopsis thaliana*.** *H. Fujita and K. Syōno*

597 **Requirement of sense transcription for homology-dependent virus resistance and *trans*-inactivation.** *J.J. English, G.F. Davenport, T. Elmayan, H. Vaucheret and D.C. Baulcombe*

605 **Development of *Arabidopsis thaliana* leaves at low temperatures releases the suppression of photosynthesis and photosynthetic gene expression despite the accumulation of soluble carbohydrates.** *Å. Strand, V. Hurry, P. Gustafsson and P. Gardeström*

615 **The *Arabidopsis MALE STERILITY 2* protein shares similarity with reductases in elongation/condensation complexes.** *M.G.M. Aarts, R. Hodge, K. Kalantidis, D. Florack, Z.A. Wilson, B.J. Mulligan, W.J. Stiekema, R. Scott and A. Pereira*

625 **Light-dependent regulation of carotenoid biosynthesis occurs at the level of phytoene synthase expression and is mediated by phytochrome in *Sinapis alba* and *Arabidopsis thaliana* seedlings.** *J. von Lintig, R. Welsch, M. Bonk, G. Giuliano, A. Batschauer and H. Kleinig*

635 **Developmental and auxin-induced expression of the *Arabidopsis prha* homeobox gene.** *G. Plesch, K. Störmann, J.T. Torres, R. Walden and I.E. Somssich*

649 **Overexpression of light-dependent PORA or PORB in plants depleted of endogenous POR by far-red light enhances seedling survival in white light and protects against photooxidative damage.** *U. Sperling, B. van Cleve, G. Frick, K. Apel and G.A. Armstrong*

659 **The *VLF* loci, polymorphic between ecotypes Landsberg *erecta* and Columbia, dissect two branches of phytochrome A signal transduction that correspond to very-low-fluence and high-irradiance responses.** *M.J. Yanovsky, J.J. Casal and J.P. Luppi*

669 **Enhanced tolerance to bacterial pathogens caused by the transgenic expression of barley lipid transfer protein LTP2.** *A. Molina and F. García-Olmedo*

677 **Cloning and characterization of *LRG5*, a gene involved in blue light signaling in *Chlamydomonas* gametogenesis.** *G. Glöckner and C.F. Beck*

685 TECHNICAL ADVANCE
Characterization of the targeted nuclear accumulation of GFP within the cells of transgenic plants. *R.J. Grebenok, G.M. Lambert and D.W. Galbraith*

697 TECHNICAL ADVANCE
A negative selection scheme based on the expression of cytosine deaminase in plastids. *G. Serino and P. Maliga*

703 TECHNICAL ADVANCE
Microdissection and amplification of coding sequences from a chromosome fragment restoring male fertility in alloplasmic male-sterile tobacco. *M. Hernould, K. Glimelius, J. Veuskens, P. Bergman and A. Mouras*

711 TECHNICAL ADVANCE
Construction of an ~2 Mb contig in the region around 80 cM of *Arabidopsis thaliana* chromosome 2. *M.L. Wang, L. Huang, D.K. Bongard-Pierce, S. Belmonte, E.A. Zachgo, J.W. Morris, M. Dolan and H.M. Goodman*

Number 4 October 1997

731 **Expression of ACC oxidase promoter–GUS fusions in tomato and *Nicotiana plumbaginifolia* regulated by developmental and environmental stimuli.** *B. Blume and D. Grierson*

747 **Tracing the ontogeny of stomatal clusters in *Arabidopsis* with molecular markers.** *L. Serna and C. Fenoll*

757 **Characterization of three loci controlling resistance of *Arabidopsis thaliana* accession Ms-0 to two powdery mildew diseases.** *S. Xiao, S. Ellwood, K. Findlay, R.P. Oliver and J.G. Turner*

769 **The *viviparous8* mutation delays vegetative phase change and accelerates the rate of seedling growth in maize.** *M.M.S. Evans and R.S. Poethig*

781 **Gating of epidermal plasmodesmata is restricted to the leading edge of expanding infection sites of tobacco mosaic virus (TMV).** *K.J. Oparka, D.A.M. Prior, S. Santa Cruz, H.S. Padgett and R.N. Beachy*

791 **Genetics of homology-dependent gene silencing in *Arabidopsis*; a role for methylation.** *G.J. Davies, M.A. Sheikh, O.J. Ratcliffe, G. Coupland and I.J. Furner*

805 **Isolation of early genes expressed in reproductive organs of the dioecious white campion (*Silene latifolia*) by subtraction cloning using an asexual mutant.** *N. Barbacar, S. Hinnisdaels, I. Farbos, F. Monéger, A. Lardon, C. Delichère, A. Mouras and I. Negrutiu*

819 **Expression and activation of the vacuolar processing enzyme in *Saccharomyces cerevisiae*.** *N. Hiraiwa, M. Nishimura and I. Hara-Nishimura*

831 **The enzyme involved in sulfation of the turgorin, gallic acid 4-*O*-(β-D-glucopyranosyl-6′-sulfate) is pulvini-localized in *Mimosa pudica*.** *L. Varin, H. Chamberland, J.G. Lafontaine and M. Richard*

839 **Phytochrome-induced intercellular signalling activates *cab*::luciferase gene expression.** *F. Bischoff, A.J. Millar, S.A. Kay and M. Furuya*

851 **A nuclear gene, *erd1*, encoding a chloroplast-targeted Clp protease regulatory subunit homolog is not only induced by water stress but also developmentally up-regulated during senescence in *Arabidopsis thaliana*.** *K. Nakashima, T. Kiyosue, K. Yamaguchi-Shinozaki and K. Shinozaki*

863 ***ACL5*: an *Arabidopsis* gene required for internodal elongation after flowering.** *Y. Hanzawa, T. Takahashi and Y. Komeda*

875 **Regulation of expression of a cDNA from barley roots encoding a high affinity sulfate transporter.** *F.W. Smith, M.J. Hawkesford, P.M. Ealing, D.T. Clarkson, P.J. Vanden Berg, A.R. Belcher and A.G.S. Warrilow*

885 **Post-transcriptional β-1,3-glucanase gene silencing involves increased transcript turnover that is translation-independent.** *J.J.M.R. Jacobs, K. Litière, V. van Dijk, G.J. van Eldik, M. Van Montagu and M. Cornelissen*

895 SHORT COMMUNICATION
Intron-mediated enhancement of transgene expression in maize is a nuclear, gene-dependent process. *N. Rethmeier, J. Seurinck, M. Van Montagu and M. Cornelissen*

901 SHORT COMMUNICATION
The maize gene *empty pericarp-2* is required for progression beyond early stages of embryogenesis. M.J. Scanlon, A.M. Myers, R.G. Schneeberger and M. Freeling

911 SHORT COMMUNICATION
Genotype and environment interact to control dormancy and differential expression of the *VIVIPAROUS* 1 homologue in embryos of *Avena fatua*. *H.D. Jones, N.C.B. Peters and M.J. Holdsworth*

921 SHORT COMMUNICATION
Developmental and environmental regulation of tissue- and cell-specific expression for a pea protein farnesyltransferase gene in transgenic plants. *D. Zhou, D. Qian, C.L. Cramer and Z. Yang*

931 SHORT COMMUNICATION
Cell-to-cell movement of potato spindle tuber viroid. *B. Ding, M.-O. Kwon, R. Hammond and R. Owens*

937 SHORT COMMUNICATION
Internal AU-rich elements modulate activity of two competing 3′ splice sites in plant nuclei. *H. Merritt, A.J. McCullough and M.A. Schuler*

945 TECHNICAL ADVANCE
High-efficiency transformation of *Arabidopsis thaliana* with a selectable marker gene regulated by the T-DNA 1′ promoter. *T. Mengiste, P. Amedeo and J. Paszkowski*

949 TECHNICAL ADVANCE
Plant male germ line transformation. *A. Touraev, E. Stöger, V. Voronin and E. Heberle-Bors*

957 TECHNICAL ADVANCE
Analysis of *SCARECROW* expression using a rapid system for assessing transgene expression in *Arabidopsis* roots. *J.E. Malamy and P.N. Benfey*

965 TECHNICAL ADVANCE
Efficient *in vitro* transcription of plant nuclear $tRNA^{Ser}$ genes in a nuclear extract from tobacco cultured cells. *Y. Yukawa, M. Sugita and M. Sugiura*

Number 5 November 1997

971 **Structural analysis of elements contributing to 5′ splice site selection in plant pre-mRNA transcripts.** *C. Egoavil, H.A. Marton, C.E Baynton, A.J. McCullough and M.A. Schuler*

981 **Mg-chelatase of tobacco: identification of a *Chl D* cDNA sequence encoding a third subunit, analysis of the interaction of the three subunits with the yeast two-hybrid system, and reconstitution of the enzyme activity by co-expression of recombinant CHL D, CHL H and CHL I.** *J. Papenbrock, S. Gräfe, E. Kruse, F. Hänel and B. Grimm*

991 **A deletion mutation at the *ep* locus causes low seed coat peroxidase activity in soybean.** *M. Gijzen*

999 **Specific interactions between the K domains of AG and AGLs, members of the MADS domain family of DNA binding proteins.** *H.-Y. Fan, Y. Hu, M. Tudor and H. Ma*

1011 **An *Arabidopsis* mutant showing reduced feedback inhibition of photosynthesis.** *J.-J.M. Van Oosten, A. Gerbaud, C. Huijser, P.P. Dijkwel, N.-H. Chua and S.C.M. Smeekens*

1021 **Light-induced transcriptional repression of the pea *AS1* gene: identification of *cis*-elements and transfactors.** *N. Ngai, F.-Y. Tsai and G. Coruzzi*

1035 **The maize actin-depolymerizing factor, ZmADF3, redistributes to the growing tip of elongating root hairs and can be induced to translocate into the nucleus with actin.** *C.-J. Jiang, A.G. Weeds and P.J. Hussey*

1045 **Expression of a luteoviral movement protein in transgenic plants leads to carbohydrate accumulation and reduced photosynthetic capacity in source leaves.** *K. Herbers, E. Tacke, M. Hazirezaei, K.-P. Krause, M. Melzer, W. Rohde and U. Sonnewald*

1057 **Transgenic potato tubers accumulate high levels of 1-kestose and nystose: functional identification of a sucrose sucrose 1-fructosyltransferase of artichoke (*Cynara scolymus*) biossom discs.** *E.M. Hellwege, D. Gritscher, L. Willmitzer and A.G. Heyer*

1067 **Calcium signalling in *Arabidopsis thaliana* responding to drought and salinity.** *H. Knight, A.J. Trewavas and M.R. Knight*

1079 **Expression of heterologous phytochromes A, B or C in transgenic tobacco plants alters vegetative development and flowering time.** *K.J. Halliday, B. Thomas and G.C. Whitelam*

1091 ***Nicotiana plumbaginifolia hlg* mutants have a mutation in a *PHYB*-type phytochrome gene: they have elongated hypocotyls in red light, but are not elongated as adult plants.** *M. Hudson, P.R.H. Robson, Y. Kraepiel, M. Caboche and H. Smith*

1103 **Two TIP-like genes encoding aquaporins are expressed in sunflower guard cells.** *X. Sarda, D. Tousch, K. Ferrare, E. Legrand, J.M. Dupuis, F. Casse-Delbart and T. Lamaze*

1113 **Compromising early salicylic acid accumulation delays the hypersensitive response and increases viral dispersal during lesion establishment in TMV-infected tobacco.** *L.A.J. Mur, Y.-M. Bi, R.M. Darby, S. Firek and J. Draper*

1127 **Post-transcriptional gene silencing of ACC synthase in tomato results from cytoplasmic RNA degradation.** *K.Y. Lee, C. Baden, W.J. Howie, J. Bedbrook and P. Dunsmuir*

1139 **Interaction of *Arabidopsis* kinesin-like calmodulin-binding protein with tubulin subunits: modulation by Ca^{2+}-calmodulin.** *S.B. Narasimhulu, Y.-L. Kao and A.S.N. Reddy*

1151 **Ozone induction of ethylene emission in tomato plants: regulation by differential accumulation of transcripts for the biosynthetic enzymes.** *J. Tuomainen, C. Betz, J. Kangasjärvi, D. Ernst, Z.-H. Yin, C. Langebartels and H. Sandermann Jr*

1163 **Overexpressed phytochrome C has similar photosensory specificity to phytochrome B but a distinctive capacity to enhance primary leaf expansion.** *M. Qin, R. Kuhn, S. Moran and P.H. Quail*

1173 SHORT COMMUNICATION
Blocking polyadenylation of mRNA in the chloroplast inhibits its degradation. *I. Lisitsky, P. Klaff and G. Schuster*

1179 SHORT COMMUNICATION
Promoter elements required for phloem-specific gene expression from the RTBV promoter in rice. *Y. Yin, L. Chen and R. Beachy*

1189 SHORT COMMUNICATION
Oxidative cross-linking of plasma membrane arabinogalactan proteins. *P. Kjellbom, L. Snogerup, C. Stöhr, C. Reuzeau, P.F. McCabe and R.I. Pennell*

1197 TECHNICAL ADVANCE
Map positions of 47 *Arabidopsis* sequences with sequence similarity to disease resistance genes. *M.A. Botella, M.J. Coleman, D.E. Hughes, M.T. Nishimura, J.D.G. Jones and S.C. Somerville*

1213 TECHNICAL ADVANCE
AtLTP1 luciferase expression during carrot somatic embryogenesis. *M.A.J. Toonen, J.A. Verhees, E.D.L. Schmidt, A. van Kammen and S.C. de Vries*

1223 TECHNICAL ADVANCE
Cell-to-cell trafficking of cucumber mosaic virus movement protein:green fluorescent protein fusion produced by biolistic gene bombardment in tobacco. *A. Itaya, H. Hickman, Y. Bao, R. Nelson and B. Ding*

Number 6 December 1997

1231 **The quiescent/colorless alleles of *viviparous1* show that the conserved B3 domain of VP1 is not essential for ABA-regulated gene expression in the seed.** *C.B. Carson, T. Hattori, L. Rosenkrans, V. Vasil, I.K. Vasil, P.A. Peterson and D.R. McCarty*

1241 **A virescent gene V_1 determines the expression timing of plastid genes for transcription/translation apparatus during early leaf development in rice.** *K. Kusumi, A. Mizutani, M. Nishimura and K. Iba*

1251 **The major elderberry (*Sambucus nigra*) fruit protein is a lectin derived from a truncated type 2 ribosome-inactivating protein.** *E.J.M. Van Damme, S. Roy, A. Barre, P. Rougé, F. Van Leuven and W.J. Peumans*

1261 **Maturation and secretion of a serine proteinase is associated with events of late microsporogenesis.** *A.A. Taylor, A. Horsch, A. Rzepczyk, C.A. Hasenkampf and C.D. Riggs*

1273 **Myb26: a MYB-like protein of pea flowers with affinity for promoters of phenylpropanoid genes.** *A. Uimari and J. Strommer*

1285 **Splicing features in maize streak virus virion- and complementary-sense gene expression.** *E.A. Wright, T. Heckel, J. Groenendijk, J.W. Davies and M.I. Boulton*

1299 **Developmental and light-dependent changes of the cytosolic chaperonin containing TCP-1 (CCT) subunits in maize seedlings, and the localization in coleoptiles.** *R. Himmelspach, P. Nick, E. Schäfer and B. Ehmann*

1311 **The influence of small changes in transgene transcription on homology-dependent virus resistance and gene silencing.** *J.J. English and D.C. Baulcombe*

1319 **Functional complementation of an *oxa1*⁻ yeast mutation identifies an *Arabidopsis thaliana* cDNA involved in the assembly of respiratory complexes.** *P. Hamel, W. Sakamoto, H. Wintz and G. Dujardin*

1329 **Gibberellins are required for embryo growth and seed development in pea.** *S.M. Swain, J.B. Reid and Y. Kamiya*

1339 **Ectopic expression of oat phytochrome A in hybrid aspen changes critical daylength for growth and prevents cold acclimatization.** *J.E. Olsen, O. Junttila, J. Nilsen, M.E. Eriksson, I. Martinussen, O. Olsson, G. Sandberg and T. Moritz*

1351 **The male determinant of self-incompatibility in *Brassica oleracea* is located in the pollen coating.** *A.G. Stephenson, J. Doughty, S. Dixon, C. Elleman, S. Hiscock and H.G. Dickinson*

1361 **Modulation of statolith mass and grouping in white clover (*Trifolium repens*) grown in 1-g, microgravity and on the clinostat.** *J.D. Smith, P.Todd and L.A. Staehelin*

1375 **Ratio-imaging of $Ca^{2+}{}_i$ in the self-incompatibility response in pollen tubes of *Papaver rhoeas*.** *V.E. Franklin-Tong, G. Hackett and P.K. Hepler*

1387 **Slowly activating vacuolar channels can not mediate Ca^{2+}-induced Ca^{2+} release.** *I.G. Pottosin, L.I. Tikhonova, R. Hedrich and G. Schönknecht*

1399 **Storage of environmental signals in flax. Their morphogenetic effect as enabled by a transient depletion of calcium.** *M.-C. Verdus, M. Thellier and C. Ripoll*

1411 ***N*-glycans harboring the Lewis a epitope are expressed at the surface of plant cells.** *A.-C. Fitchette-Lainé, V. Gomord, M. Cabanes, J.-C. Michalski, M.S. Macary, B. Foucher, B. Cavelier, C. Hawes, P. Lerouge and L. Faye*

1419 **Comparative analysis of non-random DNA repair following *Ac* transposon excision in maize and *Arabidopsis*.** *T.A. Rinehart, C. Dean and C.F. Weil*

1429 SHORT COMMUNICATION
Localization of a kinesin-like calmodulin-binding protein in dividing cells of *Arabidopsis* and tobacco. *J. Bowser and A.S.N. Reddy*

1439 SHORT COMMUNICATION
Localization of 14-3-3 proteins in the nuclei of arabidopsis and maize. *E.A. Bihn, A.-L. Paul, S.W. Wang, G.W. Erdos and R.J. Ferl*

1447 SHORT COMMUNICATION
Genetic characterization of late-flowering traits induced by DNA hypomethylation mutation in *Arabidopsis thaliana*. *T. Kakutani*

1453 SHORT COMMUNICATION
***In vitro* dephosphorylation inhibits the activity of soybean lysine-ketoglutarate reductase in a lysine-regulated manner.** *D. Miron, S. Ben-Yaacov, H. Karchi and G. Galili*

1459 TECHNICAL ADVANCE
The effect of temperature on *Agrobacterium tumefaciens*-mediated gene transfer to plants. *W. Dillen, J. De Clercq, J. Kapila, M. Zambre, M. Van Montagu and G. Angenon*

1465 TECHNICAL ADVANCE
A new model system for tomato genetics. *R. Meissner, Y. Jacobson, S. Melamed, S. Levyatuv, G. Shalev, A. Ashri, Y. Elkind and A. Levy*

1473 TECHNICAL ADVANCE
Zygote implantation to cultured ovules leads to direct embryogenesis and plant regeneration of wheat. *J. Kumlehn, R. Brettschneider, H. Lörz and E. Kranz*

1481 **Author Index**

1489 **Subject Index**